

RESULT 3

US-10-303-266-11

; Sequence 11, Application US/10303266

; Publication No. US20040101848A1

; GENERAL INFORMATION:

; APPLICANT: Donna T. Ward

; APPLICANT: Alexander H. Borchers

; APPLICANT: Kenneth W. Dobie

; TITLE OF INVENTION: MODULATION OF GLUCOSE TRANSPORTER-4 EXPRESSION

; FILE REFERENCE: RTS-0426

; CURRENT APPLICATION NUMBER: US/10/303,266

; CURRENT FILING DATE: 2002-11-23

; NUMBER OF SEQ ID NOS: 157

; SEQ ID NO 11

; LENGTH: 2128

; TYPE: DNA

; ORGANISM: H. sapiens

; FEATURE:

; NAME/KEY: CDS

; LOCATION: (146)...(1675)

US-10-303-266-11

Query Match 99.9%; Score 1528.4; DB 7; Length 2128;

Best Local Similarity 99.9%; Pred. No. 0;

Matches 1529; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

```

Qy      1 ATGCCGTCGGGCTTCCAACAGATAGGCTCCGAAGATGGGGAACCCCTCAGCAGCGAGTG 60
      |||
Db     146 ATGCCGTCGGGCTTCCAACAGATAGGCTCCGAAGATGGGGAACCCCTCAGCAGCGAGTG 205

Qy     61 ACTGGGACCTGGTCCTTGCTGTGTTCTCTGCGGTGCTTGGCTCCCTGCAGTTTGGGTAC 120
      |||
Db     206 ACTGGGACCTGGTCCTTGCTGTGTTCTCTGCGGTGCTTGGCTCCCTGCAGTTTGGGTAC 265

Qy     121 AACATTGGGGTCATCAATGCCCTCAGAAGGTGATTGAACAGAGCTACAATGAGACGTGG 180
      |||
Db     266 AACATTGGGGTCATCAATGCCCTCAGAAGGTGATTGAACAGAGCTACAATGAGACGTGG 325

Qy     181 CTGGGGAGGCAGGGGCTGAGGGACCCAGCTCCATCCCTCCAGGCACCTCACCACCCTC 240
      |||
Db     326 CTGGGGAGGCAGGGGCTGAGGGACCCAGCTCCATCCCTCCAGGCACCTCACCACCCTC 385

Qy     241 TGGGCCCTCTCCATGGCCATCTTTCCGTGGGCGGCATGATTTCCTCCTTCCTCATTGGT 300
      |||
Db     386 TGGGCCCTCTCCGTGGCCATCTTTCCGTGGGCGGCATGATTTCCTCCTTCCTCATTGGT 445

Qy     301 ATCATCTCTCAGTGGCTTGGAAAGGAAAGGGCCATGCTGGTCAACAATGTCTGGCGGTG 360
      |||
Db     446 ATCATCTCTCAGTGGCTTGGAAAGGAAAGGGCCATGCTGGTCAACAATGTCTGGCGGTG 505

Qy     361 CTGGGGGGCAGCCTCATGGGCTGGCCAACGCTGCTGCCTCCTATGAAATGCTCATCCTT 420
      |||
Db     506 CTGGGGGGCAGCCTCATGGGCTGGCCAACGCTGCTGCCTCCTATGAAATGCTCATCCTT 565

Qy     421 GGACGATTCTCATTGGCGCCTACTCAGGGCTGACATCAGGGCTGGTGCCCATGTACGTG 480
      |||
Db     566 GGACGATTCTCATTGGCGCCTACTCAGGGCTGACATCAGGGCTGGTGCCCATGTACGTG 625

Qy     481 GGGGAGATTGCTCCCACTCACCTGCGGGGCGCCCTGGGGACGCTCAACCAACTGGCCATT 540
      |||
Db     626 GGGGAGATTGCTCCCACTCACCTGCGGGGCGCCCTGGGGACGCTCAACCAACTGGCCATT 685

Qy     541 GTTATCGGCATTCTGATCGCCAGGTGCTGGGCTTGGAGTCCCTCCTGGGCACTGCCAGC 600
      |||
Db     686 GTTATCGGCATTCTGATCGCCAGGTGCTGGGCTTGGAGTCCCTCCTGGGCACTGCCAGC 745

Qy     601 CTGTGGCCACTGCTCCTGGGCTCACAGTGCTACCTGCCCTCCTGCAGTGCTGCTGCTG 660
      |||
Db     746 CTGTGGCCACTGCTCCTGGGCTCACAGTGCTACCTGCCCTCCTGCAGTGCTGCTGCTG 805

Qy     661 CCCTTCTGTCCCAGAGCCCCGCTACCTCTACATCATCCAGAATCTCGAGGGGCTGCC 720
      |||
Db     806 CCCTTCTGTCCCAGAGCCCCGCTACCTCTACATCATCCAGAATCTCGAGGGGCTGCC 865

Qy     721 AGAAAGAGTCTGAAGCGCCTGACAGGCTGGGCCGATGTTTCTGGAGTGCTGGCTGAGCTG 780
      |||
Db     866 AGAAAGAGTCTGAAGCGCCTGACAGGCTGGGCCGATGTTTCTGGAGTGCTGGCTGAGCTG 925

Qy     781 AAGGATGAGAAGCGGAAGCTGGAGCGTGAGCGGCCACTGTCCCTGCTCCAGCTCCTGGGC 840
      |||
Db     926 AAGGATGAGAAGCGGAAGCTGGAGCGTGAGCGGCCACTGTCCCTGCTCCAGCTCCTGGGC 985

```

```

Qy      841 AGCCGTACCCACCGGCAGCCCTGATCATTGCGGTCGTGCTGCAGCTGAGCCAGCAGCTC 900
      |||
Db      986 AGCCGTACCCACCGGCAGCCCTGATCATTGCGGTCGTGCTGCAGCTGAGCCAGCAGCTC 1045

Qy      901 TCTGGCATCAATGCTGTTTTCTATTATTCGACCAGCATCTTCGAGACAGCAGGGGTAGGC 960
      |||
Db     1046 TCTGGCATCAATGCTGTTTTCTATTATTCGACCAGCATCTTCGAGACAGCAGGGGTAGGC 1105

Qy      961 CAGCCTGCCTATGCCACCATAGGAGCTGGTGTGGTCAACACAGTCTTCACCTTGGTCTCG 1020
      |||
Db     1106 CAGCCTGCCTATGCCACCATAGGAGCTGGTGTGGTCAACACAGTCTTCACCTTGGTCTCG 1165

Qy     1021 GTGTTGTTGGTGGAGCGGGCGGGCGCGGACGCTCCATCTCCTGGGCCTGGCGGGCATG 1080
      |||
Db     1166 GTGTTGTTGGTGGAGCGGGCGGGCGCGGACGCTCCATCTCCTGGGCCTGGCGGGCATG 1225

Qy     1081 TGTGGCTGTGCCATCCTGATGACTGTGGCTCTGCTCCTGCTGGAGCGAGTTCAGCCATG 1140
      |||
Db     1226 TGTGGCTGTGCCATCCTGATGACTGTGGCTCTGCTCCTGCTGGAGCGAGTTCAGCCATG 1285

Qy     1141 AGCTACGTCTCCATTGTGGCCATCTTTGGCTTCGTGGCATTTTTTGAGATTGGCCCTGGC 1200
      |||
Db     1286 AGCTACGTCTCCATTGTGGCCATCTTTGGCTTCGTGGCATTTTTTGAGATTGGCCCTGGC 1345

Qy     1201 CCCATTCTTGGTTCATCGTGGCCGAGCTCTTCAGCCAGGACCCCGCCGGCAGCCATG 1260
      |||
Db     1346 CCCATTCTTGGTTCATCGTGGCCGAGCTCTTCAGCCAGGACCCCGCCGGCAGCCATG 1405

Qy     1261 GCTGTGGCTGGTTTCTCCAACGGACGAGCAACTTCATCATTGGCATGGGTTTCCAGTAT 1320
      |||
Db     1406 GCTGTGGCTGGTTTCTCCAACGGACGAGCAACTTCATCATTGGCATGGGTTTCCAGTAT 1465

Qy     1321 GTTGGCGAGGCTATGGGGCCCTACGTCTTCCTTCTATTTGCGGTCCTCCTGCTGGGCTTC 1380
      |||
Db     1466 GTTGGCGAGGCTATGGGGCCCTACGTCTTCCTTCTATTTGCGGTCCTCCTGCTGGGCTTC 1525

Qy     1381 TTCATCTTCACCTTCTTAAGAGTACCTGAAACTCGAGGCCGGACGTTTGACCAGATCTCA 1440
      |||
Db     1526 TTCATCTTCACCTTCTTAAGAGTACCTGAAACTCGAGGCCGGACGTTTGACCAGATCTCA 1585

Qy     1441 GCTGCCTTCCACCGGACACCCTCTCTTTTAGAGCAGGAGGTGAAACCCAGCACAGAACTT 1500
      |||
Db     1586 GCTGCCTTCCACCGGACACCCTCTCTTTTAGAGCAGGAGGTGAAACCCAGCACAGAACTT 1645

Qy     1501 GAGTATTTAGGGCCAGATGAGAACGACTGA 1530
      |||
Db     1646 GAGTATTTAGGGCCAGATGAGAACGACTGA 1675

```

RESULT 4

US-10-067-449-9

; Sequence 9, Application US/10067449

; Publication No. US20030166258A1

; GENERAL INFORMATION:

; APPLICANT: Muller, Gunter

; APPLICANT: Koller, Klaus-Peter

; APPLICANT: Boles, Eckhard

; APPLICANT: Wieczorke, Roman

; APPLICANT: Dlugai, Silke

; TITLE OF INVENTION: Saccharomyces cerevisiae Yeast Strain With Functional Expression of a

; TITLE OF INVENTION: GLUT Promoter

; FILE REFERENCE: DEAV2001/00002

; CURRENT APPLICATION NUMBER: US/10/067,449

; CURRENT FILING DATE: 2002-02-05

; PRIOR APPLICATION NUMBER: DE 101 06 718.6

; PRIOR FILING DATE: 2001-02-14

; NUMBER OF SEQ ID NOS: 18

; SOFTWARE: PatentIn version 3.0

; SEQ ID NO 9

; LENGTH: 7828

; TYPE: DNA

; ORGANISM: Homo sapiens

US-10-067-449-9

Query Match 99.9%; Score 1528.4; DB 6; Length 7828;

Best Local Similarity 99.9%; Pred. No. 0;

Matches 1529; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

```

Qy      1 ATGCCGTCGGGCTTCCAACAGATAGGCTCCGAAGATGGGGAACCCCTCAGCAGCGAGTG 60
      |||

```



A service of the National Library of Medicine
and the National Institutes of Health

www.pubmed.gov

My NCBI
[Sign In] [Re]

All Databases

PubMed

Nucleotide

Protein

Genome

Structure

OMIM

PMC

Journals

2

Search PubMed for #4 AND #5 Go Clear Save S

☒ Limits Preview/Index History Clipboard Details

Field: **Pagination**

Display Abstract Show 20 Sort by Send to

About Entrez

Text Version

All: 1 Review: 0

Entrez PubMed

Overview

Help | FAQ

Tutorials

New/Noteworthy

E-Utilities

PubMed Services

Journals Database

MeSH Database

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

Special Queries

LinkOut

My NCBI

Related Resources

Order Documents

NLM Mobile

NLM Catalog

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

☐ 1: Biochim Biophys Acta. 1997 Feb 21;1324(1):111-9.

Related Articles, Links

Characterization of rat Glut4 glucose transporter expressed in the yeast *Saccharomyces cerevisiae*: comparison with Glut1 glucose transporter.

Kasahara T, Kasahara M.

Laboratory of Biophysics, School of Medicine, Teikyo University, Tokyo, Japan.

Rat Glut4 glucose transporter was expressed in the yeast *Saccharomyces cerevisiae*, but was retained in an intracellular membranous compartment and did not contribute to glucose uptake by intact cells. A crude membrane fraction was prepared and reconstituted in liposome with the use of the freeze-thaw/sonication method. D-glucose-specific, cytochalasin B inhibitable glucose transport activity was observed. Kinetic analysis of D-glucose transport was performed by an integrated rate equation approach. The $K(m)$ under zero-trans influx condition was 12 ± 1 mM (mean \pm S.E., $n = 3$) and that under equilibrium exchange condition was 22 ± 3 mM ($n = 4$). D-glucose transport was inhibited by 2-deoxy-D-glucose or 3-O-methyl-D-glucose, but not by D-allose, D-fructose or L-glucose. Cytochalasin B, phloretin and phlorizin inhibited D-glucose transport, but neither p-chloromercuribenzoic acid (pCMB) (0-0.1 mM) nor p-chloromercuribenzenesulfonic acid (pCMBS) (0-1.0 mM) inhibited this activity. High concentrations of $HgCl_2$ were required to inhibit D-glucose transport (IC_{50} , 370 μ M). Comparing these properties to those of rat Glut1 we found two notable differences; (1) in Glut1, $K(m)$ under zero-trans influx was significantly smaller than that under equilibrium exchange but in Glut4 less than two-fold difference was seen between these two $K(m)$ values; and (2) Glut1 was inhibited with pCMB, pCMBS and low concentrations of $HgCl_2$ (IC_{50} , 3.5 μ M), whereas Glut4 was almost insensitive to SH reagents. To examine the role of the exofacial cysteine, we replaced Met-455 of Glut4 (corresponding to Cys-429 of Glut1) with cysteine. The mutated Glut4 was inhibited by pCMB or pCMBS and the IC_{50} of $HgCl_2$ decreased to 47 μ M, whereas $K(m)$, substrate specificity and the sensitivity to cytochalasin B were not significantly changed, indicating that the existence of exofacial cysteine contributed only to increase SH sensitivity in Glut4.